

Work Order ID 58232 -2

April 29, 2010 3:00:31 PM

Page 1

Item ID: D4088-041

Accept

Revision ID:

Item Name: Shoulder Harness

Start Date: 4/29/10

Start Qty: 35.00

Required Date: 5/21/10

Req'd Qty: 35.00

Reference:

Approvals:

Process Plan: CY

Date: 10/14/29

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D4088

A

100

0.00

Purchasing

Memo

0.00

Purchasing

Issue P/O: 11789
Manufacture D4088-041 as per Dwg D4088
Supplier: AMSAFE INC.
Certificate of conformity is required

110

Receive & Inspect for Damage & Mat'l Certs

0.00

Packaging

Memo

0.00

Packaging

120

QC6- Inspect dimensions to drawing

0.00

QC

Memo

0.00

Quality Control



Setup Start

Stop

Cust Item ID:

Customer:

Run Start

Stop


CY 10/14/29 (35)

Rec'd 10/31/29 (23)

10/31/29 (23)

8/10/05/31

SPECIFICATION CONTROL DRAWING



D4088-041 SHOUDLER HARNESS

RELEASED
2010-04-27

NOTES:

- 1) PURCHASE: AMSAFE INC. P/N 3221-1-011-2396
3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: LABEL TO CONTAIN THE FOLLOWING AT MINIMUM:
PART NO. 3221-1-011-2396
CUST P/N: D4088-041
RATED: 3000 LBS DATE OF MFG
CONFORMS TO TSO-C114
- 7) WEIGHT: 1.5 lbs

C/L 10/4/29
W/10: 58232

A NEW ISSUE		CP 10.03.16	
REV.	DESCRIPTION	BY	DATE
DESIGN	91		
DRAWN	91		
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.03.16		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. REV. A
D4088 SHEET 1 OF 2
TITLE SCALE
SHOULDER HARNESS NTS

COPYRIGHT © 2010 BY DART AEROSPACE LTD
UNLESS OTHERWISE SPECIFIED, ALL RIGHTS ARE RESERVED BY DART AEROSPACE LTD. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO11789

Purchase Order Date 4/29/10

PO Print Date 4/29/10

Page Number 1 of 2

Order From :

VU-AMS001

AMSAFE INC.
LOCKBOX #5
P.O BOX 53075
PHOENIX, AZ 85072-3075
US

FAKED
04/29

Contact Name

Vendor Phone 602 850 2850
Vendor Fax 602 850 2812
Vendor Account Nbr

Buyer Chantal Lavoie
Requisition Nbr
Tax Resale Nbr 10127-2607
Terms Net 30
Currency USD
FOB

Ship To :

DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
3221-1-011-2396		Shoulder Harness	5/21/10 Yes	35.00 Each	FedEx PI ppd <i>Reg 12</i>	\$231.0000	\$8,085.00
		Special Inst:	AS PER DWG D4088 REV. A B58232 AMSAFE P/N: 3221-1-011-2396 IDENTIFICATION OF LABEL: PART NO. 3221-1-011-2396 CUST P/N: D4088-041 RATED: 3000 LBS DATE OF MFG: CONFORMS TO TSO-C114				
3221-1-021-2396		Shoulder Harness	5/21/10 Yes	20.00 Each	FedEx PI ppd <i>Reg 8</i>	\$231.0000	\$4,620.00
		Special Inst:	AS PER DWG D4088 REV. A B58233 AMSAFE P/N: 3221-1-021-2396 IDENTIFICATION OF LABEL: PART NO. 3221-1-021-2396 CUST. P/N: D4088-043 RATED: 3000 LBS				

4/29/10

CERTIFICATE OF CONFORMITY
REQD UPON DELIVERY

AMSAFE**AMSAFE AVIATION**

1043 NORTH 47th AVENUE

PHOENIX, AZ 85043

PH (602)850-2850 FAX (602)850-2812

SHIPPER

000205282

05/28/10

CUSTOMER NO.
10006113

SALES ORDER NO.
S188696

BOL NO.
000205282

PAGE NO.
1

DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY
ONTARIO, CANADA K6A 1K7
Canada

MAIN FINISHED GOODS LOCATION
DART AEROSPACE LTD.
1270 ABERDEEN ST
HAWKESBURY, ONTARIO K6A 1K7
Canada

Ship to ID: 10006125

CUSTOMER ORDER NO.
PO11789

TERMS
NET30

FREIGHT
PP

SHIP VIA
FedEx Intl Priority

F.O.B.
ORIGIN

Sales Order Remarks:

Remarks:

05/27/10 CHANGE: FREIGHT WAS PP + bb

SHIPMENT REFERENCE 000205282

LINE	ITEM NUMBER / DESCRIPTION	DRAWING AND CERTIFICATIONS	DUE DATE	QTY ORDERED	QTY SHIPPED	QTY BACK ORDERED
3	3221-1-011-2396 REST SYS ASSY	DRAWING: 3221 REV: A CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S188696-3 23.0 CUST P/N D4088-041 MUST APPEAR ON LABELS & PAPERWORK	2010-05-25	23 Expire Ref.	23	0
4	3221-1-021-2396 REST SYS ASSY	DRAWING: 3221 REV: A CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S188696-4 12.0 CUST P/N D4088-043 MUST APPEAR ON LABELS & PAPERWORK	2010-05-25	12 Expire Ref.	12	0

I certify that the article(s) listed above conform to all applicable design data, and (as applicable):

FAA PMA, FMVSS 209, FMVSS 302, 14 CFR 25.853

FAA TSO C22f, C22g, C114 or TSO Plus

The conditions and tests required for TSO approval of the article(s) are minimum performance standards. It is the responsibility of those installing the article(s) either on or within a specific type or class of a craft to determine that the aircraft installation conditions are within the standards applicable to the TSO article including (when applicable) the integrated non-TSO function. The non-TSO function is described as the seat belt airbag system including the inflator cable assembly and electrical components that have not been evaluated for functionality or installation requirements. TSO articles including the integrated non-TSO function must have separate approval for installation in an aircraft. The article(s) may be installed only if performed under 14 CFR part 43 or the applicable airworthiness requirements.

AmSafe Authorized Signature: X

Printed Name:

Dated:

COUNTRY OF ORIGIN USA

1. Approving National Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG					3. Form Tracking Number: S188696-3-C-T.	
4. Organization Name and Address: AmSafe Aviation 1043 North 47th Avenue Phoenix, Arizona 85043		Cert. No. PT1967NM					5. Work order/Contract/Invoice Number: S188696 - 3 PAGES ATTACHED	
6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:		
1	REST SYS ASSY	3221-1-011-2396	N/A	23	A0510	NEW		
13. Remarks: Drawing: 3221 Rev: A TSO: TSO-C114 CUST PIN: D4088-041 S 10/05/31								
EXPORT AIRWORTHINESS APPROVAL: THIS ARTICLE MEETS THE SPECIAL REQUIREMENTS OF CANADA								
14. Certifies the items identified above were manufactured in conformity to: <input checked="" type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 13.				19. <input type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.				
15. Authorized Signature: Cynthia Tijerina		16. Approval/Authorization No.: ODA602112NM		20. Authorized Signature		21. Authorized/Certificate No.		
17. Name (typed or printed) CYNTHIA TIJERINA		18. Date (m/d/y): May 10/2010		22. Names (typed or printed)		23. Date (m/d/y):		
User/Installer Responsibilities								
<p>It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.</p> <p>Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.</p>								